


PE 100 RC Bends 90°, injected



Product details:

- black
- injected (r ~ d), with elongated spigot, for butt welding and electrofusion welding
- DIN EN ISO 15494/B, DIN EN 1555/3, DIN EN 12201/3

Product image for illustration purposes only.

SDR	d (mm)	e (mm)	le1 (mm)	z1 (mm)	Angle (°)	kg/piece	Art. No.
11	32	3.0	48	79	90	0,043	019100130
11	40	3.7	52	92	90	0,079	019100131
11	50	4.6	59	107	90	0,147	019100133
11	63	5.8	69	131	90	0,280	019100032
11	75	6.8	76	153	90	0,460	019100044
11	90	8.2	83	173	90	0,760	019100046
11	110	10.0	84	195	90	1,297	019100048
11	125	11.4	92	216	90	1,820	019100051
11	140	12.7	96	237	90	2,445	019100052
11	160	14.6	103	262	90	3,420	019100053
11	180	16.4	115	294	90	4,980	019100054
11	200	18.2	122	317	90	6,800	019100055
11	225	20.5	131	351	90	9,200	019100050
11	250	22.7	133	382	90	13,120	019100092
11	280	25.4	153	432	90	18,335	019100094
11	315	28.6	154	471	90	25,130	019100096
11	355	32.2	180	560	90	34,030	010030703
11	400	36.3	190	625	90	46,900	010030704
11	450	40.9	195	645	90	69,122	010026787
11	500	45.4	212	710	90	91,039	010026789
17	50	3.0	59	108	90	0,132	019100132
17	63	3.8	67	130	90	0,200	019100031
17	75	4.5	76	153	90	0,345	019100043
17	90	5.4	83	173	90	0,520	019100045
17	110	6.6	84	195	90	0,945	019100047
17	125	7.4	92	216	90	1,340	019100056
17	140	8.3	97	237	90	1,760	019100057
17	160	9.5	103	262	90	2,405	019100058
17	180	10.7	113	290	90	3,390	019100059
17	200	11.9	122	317	90	4,610	019100060
17	225	13.4	130	350	90	6,410	019100049
17	250	14.8	134	382	90	9,830	019100091
17	280	16.6	154	430	90	13,710	019100093
17	315	18.7	153	465	90	19,350	019100095
17	450	26.7	195	645	90	50,715	010026788
17	500	29.7	212	710	90	66,939	010026790
17,6	355	20.1	180	560	90	22,350	010030701
17,6	400	22.7	190	625	90	31,520	010030702

All information provided in respect of technical data shall be considered non-binding. This information does not constitute a guarantee of specific properties or qualities and shall not be construed as a warranty in regard to product condition, durability or service life. Subject to modifications and errors. Our standard terms and conditions apply. For further information, please contact our applications engineering team: pipingsystems@simona.de.